
MATERIAL SAFETY DATA SHEET

NOVEX TRIS-GLYCINE SDS RUNNING BUFFER (10X)
INVITROGEN CORPORATION
MSDS ID: LC2675

Page 1 of 8
Revised 11/19/02
Replaces 7/25/02
Printed 12/12/02

1. PRODUCT AND COMPANY INFORMATION

INVITROGEN CORPORATION
1600 FARADAY AVE.
CARLSBAD, CA 92008
760/603-7200

GIBCO PRODUCTS
INVITROGEN CORPORATION
3175 STALEY ROAD P.O. BOX 68
GRAND ISLAND, NY 14072
716/774-6700

INVITROGEN CORPORATION
3 FOUNTAIN DR.
INCHINNAN BUSINESS PARK
PAISLEY, PA4 9RF
SCOTLAND
44-141 814-6100

INVITROGEN CORPORATION
P.O. BOX 12-502
PENROSE
AUCKLAND 1135
NEW ZEALAND
64-9-579-3024

INVITROGEN CORPORATION
2270 INDUSTRIAL ST.
BURLINGTON, ONT
CANADA L7P 1A1
905/335-2255

EMERGENCY NUMBER (SPILLS, EXPOSURES): 301/431-8585 (24 HOUR)
800/451-8346 (24 HOUR)
NON-EMERGENCY INFORMATION: 800/955-6288

Product Name:
NOVEX TRIS-GLYCINE SDS RUNNING BUFFER (10X)

NOTE: If this product is a kit or is supplied with more than one material,
please refer to the MSDS for each component for hazard information.

Product Use:
These products are for laboratory research use only and are not intended for
human or animal diagnostics, therapeutic, or other clinical uses.

Synonyms:
Not available.

2. COMPOSITION, INFORMATION ON INGREDIENTS

The following list shows components of this product classified as hazardous
based on physical properties and health effects:

Component	CAS No.	Percent
TRIS	77-86-1	1 - 5

MATERIAL SAFETY DATA SHEET

NOVEX TRIS-GLYCINE SDS RUNNING BUFFER (10X)
INVITROGEN CORPORATION
MSDS ID: LC2675

Page 2 of 8
Revised 11/19/02
Replaces 7/25/02
Printed 12/12/02

3. HAZARDS IDENTIFICATION

**** EMERGENCY OVERVIEW ***

Warning!
Irritant.
May be harmful if swallowed.
**

Potential Health Effects:

Eye:
Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible.

Skin:
Can cause severe irritation, defatting, and dermatitis. Irritation effects may last for hours or days but will not likely result in permanent damage.

Inhalation:
Can cause severe respiratory irritation, dizziness, weakness, fatigue, nausea, headache and possible unconsciousness.
Other possible symptoms include; wheezing and coughing due to pulmonary edema (fluid build-up in lungs).
No toxicity expected from inhalation.

Ingestion:
Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea.
Ingestion of this product may result in central nervous system effects including headache, sleepiness, dizziness, slurred speech and blurred vision. May cause liver disorder (e.g., edema, proteinuria) and damage. Overexposure may cause kidney damage.
May be harmful if swallowed. May cause systemic poisoning.

Chronic:
No data on cancer.

4. FIRST AID MEASURES

Eye:
Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.

Skin:
Wash with soap and water. Remove contaminated clothing, launder immediately, and discard contaminated leather goods. Get medical attention

MATERIAL SAFETY DATA SHEET

NOVEX TRIS-GLYCINE SDS RUNNING BUFFER (10X)
INVITROGEN CORPORATION
MSDS ID: LC2675

Page 3 of 8
Revised 11/19/02
Replaces 7/25/02
Printed 12/12/02

4. FIRST AID MEASURES (CONT.)

immediately.

Inhalation:

Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.

Ingestion:

Severely irritating. Do not induce vomiting. Seek medical attention immediately. Drink 2 glasses of water or milk to dilute.

Note To Physician:

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Flashpoint Deg C:

Not available.

Upper Flammable Limit %:

Not available.

Lower Flammable Limit %:

Not available.

Autoignition Temperature Deg C:

Not available.

Extinguishing Media:

Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot burning liquid.

Firefighting Techniques/Equipment:

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products.

Hazardous Combustion Products:

Includes carbon dioxide, carbon monoxide, dense smoke.

6. ACCIDENTAL RELEASE MEASURES

Accidental releases may be subject to special reporting requirements and other regulatory mandates. Refer to Section 8 for personal protection equipment recommendations.

MATERIAL SAFETY DATA SHEETPage 4 of 8
Revised 11/19/02
Replaces 7/25/02
Printed 12/12/02NOVEX TRIS-GLYCINE SDS RUNNING BUFFER (10X)
INVITROGEN CORPORATION
MSDS ID: LC2675

6. ACCIDENTAL RELEASE MEASURES (CONT.)

Spill Cleanup:

Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits. Ventilate the contaminated area. Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section VIII at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation.

7. HANDLING AND STORAGE

Storage of some materials is regulated by federal, state, and/or local laws.

Storage Pressure:
Ambient

Handling Procedures:

Toxic or severely irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Keep closed or covered when not in use.

Storage Procedures:

Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Suitable for most general chemical storage areas.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Exposure Limits:

Component	OSHA PEL (ppm)	AGCIH TWA (ppm)
TRIS	Not established.	Not established.

Engineering Controls:

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Personal Protective Equipment:

MATERIAL SAFETY DATA SHEET

NOVEX TRIS-GLYCINE SDS RUNNING BUFFER (10X)
INVITROGEN CORPORATION
MSDS ID: LC2675

Page 5 of 8
Revised 11/19/02
Replaces 7/25/02
Printed 12/12/02

8. EXPOSURE CONTROLS, PERSONAL PROTECTION (CONT.)

Eye:

An eye wash station must be available where this product is used. Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.

Skin:

Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Gloves should be used as minimum hand protection.

Respiratory:

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/physical state:	Liquid solution / suspension
Odor:	No odor.
Boiling Point (C):	Not established.
Melting Point (C):	Not established.
Solubility in water:	Not established.
pH:	Not established.
Vapor Pressure:	Not established.
Vapor Density:	Not established.
Specific Gravity/Density:	Not established.
Octanol/water Partition Coeff:	Not established.
Volatiles:	Not established.
Evaporation Rate:	Not established.
Viscosity:	Not established.

10. STABILITY AND REACTIVITY

Stability:

Stable under normal conditions.

Conditions to Avoid:

Strong oxidizing agents. Strong alkalies. Strong acids. Brass.
Hypochlorites. Aldehydes.

MATERIAL SAFETY DATA SHEET

NOVEX TRIS-GLYCINE SDS RUNNING BUFFER (10X)
INVITROGEN CORPORATION
MSDS ID: LC2675

Page 6 of 8
Revised 11/19/02
Replaces 7/25/02
Printed 12/12/02

10. STABILITY AND REACTIVITY (CONT.)

Hazardous Decomposition Products:
Carbon monoxide. Carbon dioxide. Nitrogen oxides.

Hazardous Polymerization:
Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

Dermal/Skin:
Not determined.

Inhalation/Respiratory:
Not determined.

Oral/Ingestion:
Tris: 5900 MG/KG

Target Organs: No data found.

Carcinogenicity:

NTP:
Not tested.

IARC:
Not listed.

OSHA:
Not regulated.

Other Toxicological Information

12. Ecological Information

Ecotoxicological Information: No ecological information available.

Environmental Fate (Degradation, Transformation, and Persistence):
Bioconcentration is not expected to occur.

MATERIAL SAFETY DATA SHEET

NOVEX TRIS-GLYCINE SDS RUNNING BUFFER (10X)
INVITROGEN CORPORATION
MSDS ID: LC2675

Page 7 of 8
Revised 11/19/02
Replaces 7/25/02
Printed 12/12/02

13. DISPOSAL CONSIDERATIONS

Regulatory Information:
Not applicable.

Disposal Method:
Clean up and dispose of waste in accordance with all federal, state, and local environmental regulations.
Dispose of by incineration following Federal, State, Local, or Provincial regulations.

14. TRANSPORT INFORMATION

Proper Shipping Name: Not Determined.
Hazard Class:
Subsidiary Hazards:
ID Number:
Packing Group:

15. REGULATORY INFORMATION

UNITED STATES:

TSCA:
This product is solely for research and development purposes only and may not be used, processed or distributed for a commercial purpose. It may only be handled by technically qualified individuals.

Prop 65 Listed Chemicals: PROP 65 PERCENT
No Prop 65 Chemicals.

No 313 Chemicals

CANADA:

DSL/NDSL:
Not determined.

COMPONENT WHMIS Classification
TRIS Not classified as hazardous.

EUROPEAN UNION:

PRODUCT RISK PHRASES:
None assigned.

MATERIAL SAFETY DATA SHEETPage 8 of 8
Revised 11/19/02
Replaces 7/25/02
Printed 12/12/02NOVEX TRIS-GLYCINE SDS RUNNING BUFFER (10X)
INVITROGEN CORPORATION
MSDS ID: LC2675

15. REGULATORY INFORMATION (CONT.)

PRODUCT SAFETY PHRASES:

None assigned.

PRODUCT CLASSIFICATION:

None; Aucun; Geen; Keine; Nessuno; Ninguno/a

Component	EINECS
TRIS	Number 201-064-4

16. OTHER INFORMATION

HMIS Rating 0-4:

FIRE: Not determined.

HEALTH: Not determined.

REACTIVITY: Not determined.

Abbreviations

N/A - Data is not applicable or not available

SARA - Superfund and Reauthorization Act

HMIS - Hazard Material Information System

WHMIS - Workplace Hazard Materials Information System

NTP - National Toxicology Program

OSHA - Occupational Health and Safety Administration

IARC - International Agency for Research on Cancer

PROP 65 - California Safe Drinking Water and

Toxic Enforcement Act of 1986

EINECS - European Inventory of Existing Commercial
Chemical Substances

The above information was acquired by diligent search and/or investigation and the recommendations are based on prudent application of professional judgment. The information shall not be taken as being all inclusive and is to be used only as a guide. All materials and mixtures may present unknown hazards and should be used with caution. Since Invitrogen Corporation cannot control the actual methods, volumes, or conditions of use, the Company shall not be held liable for any damages or losses resulting from the handling or from contact with the product as described herein. THE INFORMATION IN THIS MSDS DOES NOT CONSTITUTE A WARRANTY, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE.